

T08N-R02W-18\_0000\_MCS

1/4 LINE 7

N 89° 51' 36" E

597.88'

Van Bu E-09  
Section 18 AE

N-E CORNER OF N-E 1/4  
SEC. 18, T8N, R2W  
MONROE COUNTY, IND.

CLIFTON BURKS

N 00° 38' 24" W  
1244.05'

HOPKINS  
18.32 AC

1207.16'  
S 00° 38' 23" E

SCALE 1"=200'

BURKS-HOPKINS

GARDNER ROAD

74.75'  
WEST

S 42° 36' 15" W  
72.52'

S 47° 11' 41" W  
98.28'

S 51° 37' 03" E, 120.39'

S 57° 44' 35" W  
110'

195.81'  
WEST

S-E CORNER OF N-E 1/4 OF N-E 1/4  
SECTION 18, T8N, R2W

S 65° 15' 54" W

BURKS  
5 AC

GARDNER RD.


S 54° 10' 45" W  
10.56'

016-03550-02  
plat 43

Trailer  
goes with  
this piece

825-4171

Lee Utt, R. L. S. # S0089, Indiana  
1604 S. Henderson St.  
Bloomington, Indiana 47401  
September 18, 1986



V B





18

Nemeth

# JOHN GARY NEMETH MINOR SUBDIVISION FINAL PLAT

PLAT CABINET "\_\_\_", ENVELOPE \_\_\_\_\_

A PART OF THE WEST HALF  
OF THE NORTHEAST QUARTER OF  
SECTION 18, T8N, R2W  
MONROE CO., INDIANA



DULY ENTERED  
FOR TAXATION

JAN 27 2005

Auditor Monroe County, Indiana

Van B  
E-09

Section 17 1/4





Stone Found

7  
18

7 8  
18 17

2683.56

sect 18  
T8N R2W

Stones

128.70

2663.81

5004.18 NW

Stone set

North  
2640

2683.56

2663.80

Stone set

172.26

2054.38

2640

18 17

Stone set

24


19

S 89° 42' 27" E

19


20

Carrothers to Graham  
Sec 18 Van Buren



**Description:**

A part of the West half of the Northeast quarter of Section 18, Township 8 North, Range 2 West, Monroe County, Indiana described as follows: Beginning at a point that is 1273.27 feet South and 404.12 feet West of the Northeast corner of the West half of the Northeast quarter of said Section 18, and in the centerline of a road; thence North 27 degrees 50 minutes 26 seconds East over and along said centerline for a distance of 116.00 feet; thence North 68 degrees 48 minutes West for a distance of 417.50 feet; thence South 23 degrees 37 minutes 10 seconds West for a distance of 305.00 feet; thence South 68 degrees 48 minutes East for a distance of 417.50 feet and to the centerline of the said road; thence North 20 degrees 12 minutes East over and along said centerline for a distance of 197.00 feet and to the point of beginning. Containing in all 3.00 acres more or less. Subject to a 25.00 foot easement along the centerline of the said road.



*Raymond Graham*

Raymond Graham  
R.P.E. 8409 Indiana  
3215 E. Smith Pike  
Bloomington, Indiana  
July 23, 1979

**FILED**

AUG 6 1979

*John W. Davis*  
Auditor Monroe County, Indiana

APN

Scale 1" = 200'

Old Road  
New Road

N 81° 50' W 214'

1.87A  
Harold Keller

S 55° 01' E 534'

Allen Hetherington

2.75A

Creek

11.10A

Oval Black

South

S.W. Corner, S-E 1/4  
N-W 1/4, Sec. 18  
TWP. 8N, R2W

NE 1/4, SW 1/4  
SEC. 18, TWP. 8N, R2W

40r

S-E Corner, N-E  $\frac{1}{4}$ , S-W  $\frac{1}{4}$   
Sec. 12, Twp. 2 N, R 2 W.


Description of Oval L. Black property  
in VanBuren Township, Monroe County, Indiana,  
with exceptions of lands owned by Allen Hetherington  
(2.75) acres), and Harold Keller (1.82 acres).

Part of the West half of Section Eighteen (18), Township Eight (8) North, Range Two (2) West, in Monroe County, Indiana, described as follows, to-wit: Beginning at the Southeast corner of the Northeast quarter of the Southwest quarter of said Section Eighteen (18); thence running West to the Southwest corner of said quarter quarter of said Section, thence North One Hundred Twenty (120) rods to the center line of an old public highway, thence Eastwardly with the meanderings of said road to the half section line dividing said Section East and West, thence South on said half section line to the place of beginning; EXCEPTING THEREFROM the following described tract, to-wit: Beginning at a point on the West line of said Section 18, being 156 feet North of the Southwest corner of the Southeast quarter of the Northwest quarter of said Section, Township and Range aforesaid; running thence North over and along said West line for a distance of 570 feet and to the center line of a New County Road; thence running South 55 degrees 01 minute East over and along the centerline of said Road for a distance of 534 feet and to the intersection of said road with the center line of a Creek commonly known as Coon Creek; thence running in a Southwest direction and following the meanderings of said center line of said Creek to the point of beginning; containing in all 2.75 acres, more or less; also EXCEPTING THEREFROM the following described tract, to-wit: "Beginning at a point on the West line of said Section 18, which is 726 feet North of the Southwest corner of the Southeast quarter of the Northwest quarter of said Section 18, Township and Range aforesaid, and in the center line of a New County Road; running thence North over and along the West line of said Section for a distance of 73.5 feet and to the center line of an Old County Road; thence running over and along said Old County Road the following courses and distances: South 81 degrees 50 minutes East for 214 feet; South 38 degrees 41 minutes east for 126 feet; and South 25 degrees 27 minutes East for 243 feet and to the intersection of said Old County Road with the center line of the New County Road; thence running North 55 degrees 01 minute West over and along the center line of said New County Road for a distance of 484 feet and to the point of beginning; containing in all 1.82 acres, more or less; and containing in all the lands herein conveyed, after said exceptions, Fifty-one and ten hundredths (51.10) acres, more or less.

I, Raymond Graham, a licensed Civil Engineer in the State of Indiana, hereby certify that the above and foregoing is a copy of the Plat and description of lands as surveyed and described by me this 12th day of April, 1965.

*Raymond L. Graham* RPE 8409  
Raymond Graham, Civil Engineer

Van Buren Sec 18  
3-1-75




SCALE 1"=300'  
LEE UTT

STATE OF INDIANA  
COUNTY OF MONROE SS:

I Lee Utt, hereby certify that I am a Land Surveyor licensed in compliance with the laws of the State of Indiana; that this plat and the following description correctly represents a survey completed by me on March 3, 1975; that all monuments shown thereon actually exist; and that their location and type are, to the best of my knowledge accurately shown.


*Lee Utt*  
Lee Utt, R. L. S. # S0089, Indiana



Legal description:

The Northeast quarter of the Southwest quarter and a part of the Southeast quarter of the Northwest quarter of Section 18, Township 8 North, Range 2 West, Monroe County, Indiana, bounded and described as follows: Beginning at the Southwest corner of the Northeast quarter of the Southwest quarter of said Section 18; thence from said point of beginning and with the South line of said quarter quarter and running South 89°-48'-30" East for 1036.99 feet and to the Southeast corner of said quarter quarter; thence with the East line of said Northeast quarter of the Southwest quarter and running North 00°-24'-20" West for 1803.98 feet and to the centerline of Gardner Road; thence with the centerline of said road and running South 86°-16'-50" West for 16.20 feet; thence South 85°-49'-35" West for 200.00 feet; thence South 83°-33'-05" West for 135.00 feet; thence South 76°-55'-20" West for 100.00 feet; thence South 88°-17'-50" West for 80.00 feet; thence North 64°-47'-10" West for 81.00 feet and to the center of Coon Creek; thence with the center of said creek and running South 58°-43'-30" West for 510.63 feet and to the West line of the Southeast quarter of the Northwest quarter of said Section 18; thence with said West line and running South 00°-28'-40" East for 1514.10 feet and to the point of beginning. Containing 41.03 acres, more or less.

Van Buren




True point of beginning for 309.76  
 Thence S 00° 18' 25\" East for 1172.30'  
 from NE corner of W 1/2 NE 1/4  
 Sect 18, T8N, R2W

# Charles Carothers

**Description:**  
 A part of the West half of the Northeast quarter of Section 18, Township 8 North, Range 2 West, Monroe County, Indiana described as follows: beginning at the Northeast corner of the West half of the Northeast quarter of the said Section 18, thence North 89 degrees 42 minutes 30 seconds West for 309.76 feet; thence South 00 degrees 18 minutes 25 seconds East for 1172.30 feet and to the true point of beginning, thence South 00 degrees 18 minutes 25 seconds East for 1102.46 feet and to the centerline of Gardner Road; thence along the road centerline the following directions and dimensions:  
 South 73° 06' 04\" West for 23.42 feet,  
 South 75° 17' 28\" West for 83.89 feet,  
 South 83° 05' 41\" West for 88.56 feet,  
 North 84° 59' 41\" West for 72.09 feet,  
 North 71° 02' 16\" West for 61.20 feet,  
 thence leaving the road centerline and running North 04 degrees 39 minutes 46 seconds East for 267.74 feet; thence North 00 degrees 22 minutes 46 seconds East for 373.89 feet; thence North 20 degrees 12 minutes East for 394.81 feet; thence North 27 degrees 50 minutes 26 seconds East for 116.00 feet; thence East for 100.64 feet and to the true point of beginning. Containing in all 6.38 acres more or less. Subject to a 25.00 foot easement along the Gardner Road centerline for County highway right-of-way. Also subject to a 25.00 foot easement along the entire West line for ingreess and egreess for any owner of property along West line and any property that said easement might serve asis access to Gardner Road.

*Raymond Graham*

Raymond Graham  
 R P E 8409 Ind.  
 3215 N. Smith Pike  
 Bloomington, Ind.  
 Sept. 28, 1978



**FILED**  
 1978



August 25<sup>th</sup> 1842

ran the following line in Section No 10 S 4 R 2 W for  
 Nathan Crane & Abraham May. Began at the N<sup>W</sup> corner  
 of said Section then S 85° E 158 poles 16 links to the N 1/2  
 mile post half the distance 79 poles 8 links witness  
 Red 5 inch diam N 25° W 6 lbs dist Black Ash 20 inch diam  
 S 85° W 27 lbs dist then S 6° E 79 poles 18 links witness  
 Poplar 7 inch diam S 50° E 16 1/2 links dist Black Ash  
 18 inch diam N 6° W 7 links dist then S 85° W 79 poles 8  
 links witness Hickory 6 inch diam N 64 1/2° E 10 1/2 lbs  
 dist W Oak 18 inch diam S 65° W 19 lbs dist then N 6° W  
 79 poles 18 links to the Beginning containing 39 3/4 acres & 25  
 poles

Thomas Clift & Ellsbury Tarkington  
 Chain Bearers by Consent

J. W. Spencer M. C. S.

March 8<sup>th</sup> 1841

ran the following line in Section No 25 S 9 R 1. W for  
 Burshirk & Isaac J. Burshirk Began at the East 1/2 mile post  
 of said Section witness Tree 20 inch diam S 35° E 47 1/2 lbs  
 dist then N 85° W 323 poles to the western 1/2 mile post of  
 said Section the above survey was made by Harry Baugh  
 Sept & recorded as returned by L. Baugh

James W. Spencer M. C. S.

Sept 9<sup>th</sup> 1843

ran the following line in Section No 30. S 8 R 2 with length of  
 the line from the Southern 1/2 mile post to the Northern 1/2 mile of  
 the same 320 poles 20 links Length of the line from the N<sup>W</sup> corner  
 to the S<sup>W</sup> corner of said Section 322 poles 20 links half 161 poles 10  
 links witness made at the western 1/2 mile post Gum 15 inch diam  
 S 1 1/2° W 43 1/2 links distant Gum 15 inch diam S 35° E 91 1/2 lbs dist  
 Length of the line from the western to the Eastern 1/2 mile post 280  
 poles for the witness & is refer to the united States field notes

witness Tree made at the center of said Sec Black Ash  
 6 inch diam S 79° E 45 lbs dist B. Ash 10 inch diam N 48 1/2° E 36 1/2  
 lbs dist

Length of the line west of center	120 poles 7 links
Length East of center	159 poles 18 links
Length South of center	160 poles 00 links
Length North of center	160 poles 20 links

The above survey was made for John Tarkington & others  
 length of the line from the S<sup>W</sup> corner of Sec 30 to the western 1/2 mile  
 159 poles 1 link half 79 1/2 poles witness Tree B. Walnut 6 inches  
 diam S 15° E 98 lbs dist the above witness is equidistant



between the S E cor of Section 30 & the Southern  $\frac{1}{2}$  mile post witness  
made equidistant between the Eastern  $\frac{1}{2}$  mile of 30 & the Center  
of the Sec witness Hickory 2 inch diam S 60° E 3 lbs dist Black  
ash 4 inch diam S 32° E 18  $\frac{1}{2}$  lbs dist

Oct 13<sup>th</sup> 1842

J<sup>r</sup> Spencer M C 5

March 26<sup>th</sup> 1844

ran the following lots in the Town of Bloomington  
for Isaac Owen designated on the Town plat as Nos

+ 1. 2. 3. 4. 5. 6. 7. 8

John C S Chipman &  
John Fredly Chord chain  
Bearers Sworn

James H Spencer M C 5

May 22<sup>nd</sup> 1844

ran for Elias Abel sub lot No 14 in the County of Monroe  
and State of Indiana Began at the S E corner of said lot  
then N 5° E 31 poles 5  $\frac{1}{2}$  links then N 85° E 36 poles 22 links  
to the Beginning content 4  $\frac{3}{4}$  acres & 22 poles

J<sup>r</sup>

James H Spencer M C 5

May 27<sup>th</sup> 1844

+ ran for Agnelli Rogers in Section No 33 T 8 R 1 W the following  
lot of land containing 19 acres & Bounded as follows Began at a  
stone at the N W corner of the lower as Layed off in compliance  
with an order of the Monroe County probate Court to Julian Adams  
late widow of Joseph Mcalley Dec<sup>d</sup> as designated on page 50 & 51  
then N 6° E 21 poles witness Sugar 4 in diam N 19° E 8  $\frac{1}{2}$  lbs dist  
then N 85° E 144 poles 20  $\frac{1}{2}$  links witness Beech 20 in diam  
S 77° E 26  $\frac{1}{2}$  links dist then S 6° E 21 poles 15 links witness Red Oak  
6 inch diam S 39° E 13  $\frac{1}{2}$  lbs dist Water Birch 3 inches diam  
N 72° E 21 links distant then S 85° E 144 poles 20  $\frac{1}{2}$  links to the  
Beginning

Names of chain Bearers Misplaced

James H Spencer M C 7



Jan 1848

Established for Joseph Houstow the N<sup>th</sup> cor of S<sup>th</sup> 1/4  
 of N<sup>th</sup> q<sup>u</sup> of Sec 21 T10 R 2 west witness Birch 12  
 inch diam S 75° E 20 links dist Hickory 18 in diam  
 S 5° E 17 lks dist

Henry Tanner M &amp; S

Jan 1848

Established for Philip Burger the N<sup>th</sup> cor of Sec 2  
 T 8 R 2 west witness Iron red Oak 30 in diam S 3° E  
 122 lks dist

Henry Tanner M &amp; S

Sept 25<sup>th</sup> 1849

Established for Schileas Burch a corner in the center  
 of Sec 8 T 7 R 2 west witness Tr Walnut 16 inch diam  
 west 13 1/2 links Sugar 5 in diam S 35° E 36 lks dist

x

also for Schileas Burch & John Burch the S<sup>th</sup> cor  
 of N<sup>th</sup> q<sup>u</sup> of N<sup>th</sup> q<sup>u</sup> section 8 T 7 R 2 west witness  
 Black oak 5 inch diam N 15° E 30 1/2 lks distant  
 Hickory 14 inch diam S 15 1/2° E 46 links dist

also for Schileas Burch the N<sup>th</sup> cor of N<sup>th</sup> q<sup>u</sup>  
 of S<sup>th</sup> q<sup>u</sup> of section 8 T 7 R 2 west witness Spruce 15  
 inch diam S 10° E 18 lks dist Birch 8 inch N 42° E  
 46 lks dist

also for Schileas Burch & George Adams the N<sup>th</sup>  
 corner of S<sup>th</sup> q<sup>u</sup> of N<sup>th</sup> q<sup>u</sup> of Sec 8 T 7 R 2 west  
 witness Ironwood 6 inch diam S 21° E 18 lks dist Birch  
 18 inch diam S 17° E 57 lks dist

James Woodburn M &amp; S

Sept 26<sup>th</sup> 1849

Established for John Burch & George Adams the S<sup>th</sup>  
 cor of N<sup>th</sup> q<sup>u</sup> of N<sup>th</sup> q<sup>u</sup> of Sec 8 T 7 R 2 west witness  
 Ironwood 10 in diam N 65° E 4 lks dist Dogwood 8 in  
 diam N 32° E 10 1/2 lks dist Variation 6° S 77° E 17"

James Woodburn M &amp; S

laid off 2 acres  
 small Thomas  
 and in section 21  
 the N<sup>th</sup> cor has  
 diameter 27° E  
 dist to 1 chain  
 dist to 2 poles  
 then to the start  
 variation 6°

laid off for Jan  
 section 15 T 8 R  
 beginning at (A)  
 106 poles to (B)  
 106 poles to (C)  
 established cor

N 36° E 11 1/2 lks  
 23 lks dist

21 lks distant

found small  
 chain Bearer

laid off as  
 found length  
 of the S<sup>th</sup>  
 established  
 cor Burch  
 S 25° E 32  
 9 links dist  
 said Bearer  
 Peter Baria  
 John James  
 Joseph Do




- 29<sup>th</sup> white oak 18 inches in diameter N 31 $\frac{1}{2}$ ° W 91 $\frac{1}{2}$  lbs dist  
 white oak 24 inches in diameter S 23° W 33 lbs dist  
 white oak 20 inches in diameter N 86° E 2 $\frac{1}{2}$  lbs dist  
 36<sup>th</sup> Gum 12 inches in diameter N 41° E 27 links distant  
 white oak 50 inches in diameter S 77° W 36 links distant

Dec 7<sup>th</sup> 1834

T 3 N R 2 W

Ran the following lines and established the following corners for Philip Bunger commencing on the S E. Sec corner of Section 2 running N to the section line on the state road corner on N E Sec line in the state road white oak 30 inches in diameter S 31° W 84 links distant  
 X Hickory 20 inches in diameter S 59° W 110 links distant  
 The half mile stake South Hickory 24 inches in diameter S 69° W 70 links distant Hickory 18 inches in diameter N 72 $\frac{1}{2}$ ° W 3 $\frac{1}{2}$  links distant  
 S. E. Section corner section 10 2 White oak 20 inches in diameter N 42 $\frac{1}{2}$ ° E 91 links distant  
 Beech 20 inches in diameter N 2° W 13 $\frac{1}{4}$  links distant  
 John C. Paynter Surveyor

Land F. Watts and Biddle T 10 Sec 14 R 2 W  
 N W corner of the Stone quarry the half mile stake of the middle of Section 14 West



Ran the following lines and established the following corners commencing at 'A' running South 89 rods to 'D' next running from the same corner running East 73 rods Thence S 30 rods Thence S W 77 rods and some links to Beech 24 inches in diameter N 86° E 33 lbs  
 Beech 24 inches in diameter N 34° E 33 lbs

- |                |           |    |        |    |          |         |                  |       |         |  |
|----------------|-----------|----|--------|----|----------|---------|------------------|-------|---------|--|
| D <sup>1</sup> | Beech     | 12 | inches | in | diameter | N 47° E | 5 $\frac{1}{2}$  | links | distant |  |
| "              | Beech     | 7  | "      | "  | "        | N 69° W | 13 $\frac{3}{4}$ | "     | "       |  |
| "              | Beech     | 2  | "      | "  | "        | S 60° W | 13               | "     | "       |  |
| "              | White oak | 15 | "      | "  | "        | N 51° E | 18 $\frac{3}{4}$ | "     | "       |  |
| "              | Beech     | 15 | "      | "  | "        | S 84° W | 7 $\frac{1}{2}$  | "     | "       |  |
| "              | Gum       | 24 | "      | "  | "        | W 12° W | 103              | "     | "       |  |


Dec 18<sup>th</sup> Land Walker and Hall Sec 7 T 7 R 2 W  
 Ran the following lines and established the following corners commenced at the interior ran N 30 P - Black oak 15 inches in diameter N 21° E 23 links distant W Walnut 12 inches in diameter S 36° E 22 links distant Thence west 141 P & 11 lbs  
 Sycamore 30 inches in diameter S 41° E 50 links distant  
 Chain bearers Adams and Sparks

John C. Paynter Surveyor A. C.



April 8<sup>th</sup> 1857

Layed off in the S<sup>th</sup> corner of the N<sup>th</sup> E<sup>th</sup> q<sup>tr</sup> of Section 32 T<sup>9</sup> R<sup>1</sup> W for Dr Mcguistham five acres beginning at the S<sup>th</sup> E<sup>th</sup> cor and running East  $47\frac{1}{3}$  poles then South  $16\frac{1}{3}$  poles then West  $47\frac{1}{3}$  poles then South to the Beginning  $16\frac{1}{3}$  poles Set a stone at the N<sup>th</sup> E<sup>th</sup> & S<sup>th</sup> corners of said lot N<sup>th</sup> E<sup>th</sup> cor witness Two Birch 10 inches diameter with 43 c<sup>ts</sup> to poplar 14 inch diam S<sup>th</sup> E<sup>th</sup> 50 c<sup>ts</sup> dist



South

also layed off for the same five acres in the S<sup>th</sup> E<sup>th</sup> cor Beginning at the S<sup>th</sup> E<sup>th</sup> cor running West 40 poles then South 21 poles then E 40 poles then South 21 poles to the Beginning including 5 acres exclusive of one pole in breadth along the South side reserved for an alley Set a stone at the S<sup>th</sup> E<sup>th</sup> cor & S<sup>th</sup> E<sup>th</sup> cor, witness Tree Elm 4 inch diam N 15<sup>th</sup> E 27<sup>th</sup> c<sup>ts</sup> at S<sup>th</sup> E<sup>th</sup> cor  
 X witness dist. B. Walnut 4 in diam S 38<sup>th</sup> E 46 c<sup>ts</sup> distant  
 John Blair & Thomas Blair  
 Chain Bearers done

James Woodburn M C S

Oct 26<sup>th</sup> 1857

Surveyed in section 7 T<sup>8</sup> R<sup>2</sup> W for Richard Lane and established the S<sup>th</sup> E<sup>th</sup> & S<sup>th</sup> E<sup>th</sup> corners of the N<sup>th</sup> E<sup>th</sup> q<sup>tr</sup> of the N<sup>th</sup> E<sup>th</sup> q<sup>tr</sup> of said section witness trees at S<sup>th</sup> E<sup>th</sup> cor Birch 16 in diam S 6<sup>th</sup> E 13 c<sup>ts</sup> dist Birch 12 inch diam S 55<sup>th</sup> E 21 c<sup>ts</sup> dist planted a stone at each corner N<sup>th</sup> E<sup>th</sup> cor witness trees at S<sup>th</sup> E<sup>th</sup> cor  
 Jacob Lane & Bartow Lane  
 Chain Bearers

James Woodburn M C S

Nov 29<sup>th</sup> 1857

Survey for John Seward the S<sup>th</sup> E<sup>th</sup> q<sup>tr</sup> of the S<sup>th</sup> E<sup>th</sup> q<sup>tr</sup> of Sec 28 T<sup>9</sup> R<sup>1</sup> W and established the N<sup>th</sup> E<sup>th</sup> & S<sup>th</sup> E<sup>th</sup> corners of said lot witness trees at N<sup>th</sup> E<sup>th</sup> cor Birch 30 inch diam S 54<sup>th</sup> E 34 c<sup>ts</sup> dist Birch 10 inch diam S 88<sup>th</sup> E 49 c<sup>ts</sup> dist witness N<sup>th</sup> E<sup>th</sup> cor logwood 3 S 42<sup>th</sup> E 40<sup>th</sup> c<sup>ts</sup> dist  
 Jack Son Bell } chain  
 James Cook } Bearers

James Woodburn M C S

April 5<sup>th</sup> 1857


John Mcguistham  
 the following  
 witness  
 N<sup>th</sup> E<sup>th</sup> cor  
 S<sup>th</sup> E<sup>th</sup> cor



Sec 32  
 N<sup>th</sup> E<sup>th</sup> cor  
 S<sup>th</sup> E<sup>th</sup> cor

April 17<sup>th</sup> 1857

in section  
 corners  
 witness




N<sup>th</sup> E<sup>th</sup> cor  
 S<sup>th</sup> E<sup>th</sup> cor

118 c<sup>ts</sup> dist  
 S 82<sup>th</sup> E 16 c<sup>ts</sup>  
 S 15<sup>th</sup> E 16 c<sup>ts</sup>

length for  
 South half  
 mile

James  
 Chain B.



Dec. 28, 29, 30, 31<sup>st</sup> 1857

Established the following corners in Sec 12, T 8, S 2, W.

- K S.E. cor of Sec. Birch 24. 583 W. 436. B Oak 10. 51 W. 30 6.  
 L 5 m S. Hick 24. N 26 W. 36 1/2. Sug. 30. 578 W. 59 ..  
 P 102 poles North of L Gum 16. N 78 W. 43 1/2. Sug. 14. 544 E. 44 ..  
 G 102 .. K Birch 18. S 26 E. 93. B Oak 14. 510 E. 43 ..  
 Q center of Sec Gum 16. N 35 W. 58 .. Birch 20. N 62 W. 102 ..  
 O Birch 6. S 32 E. 16 1/2. W Oak 24. N 59 E. 57 ..  
 B no trees being near the S.W. cor of a chimney was taken N 57 E. 123 1/2 ..  
 R 100 poles North P. B Walnut 14. N 25 W. 24. Hick 20. 550 E. 42 ..  
 D 68 poles 20 links east of C Gum 6. N 50 W. 37 1/2. B Oak 6. 553 W. 45 ..  
 F 100 poles North of G W Oak 18. South. 46. Gum 6. N 15 W. 31 1/2 ..

Established the following in Sec 7, T 8, S 1, W.

- B W Oak 10. 514 W. 35. Birch 8. N 32 W. 11 1/2 ..  
 C 1/2 m. S.W. W Oak 20. N 80 E. 50. Birch 24. 558 E. 38 ..  
 M Center of Section W Oak 18. West 104. Sug. 14. 518 W. 39 ..  
 L Gum 10. N 30 W. 20. Birch 14. N 80 E. 33 ..  
 I S.W. cor of Sec Birch 24. 541 W. 84. B Oak 10. 51 W. 92 ..  
 H Birch 10. N 74 W. 16 1/2. W Oak 20. N 50 E. 48 ..  
 H<sup>2</sup> W Oak 18. S 65 W. 41. W Oak 10. N 50 E. 87 ..  
 K Sug. 12. N 66 W. 20 1/2. Sug. 12. 551 W. 32 ..

Sec 12 { Samuel Ward & Ch. he  
 Milton Cole } Sworn  
 Sec 7 { John Borland & Ch. he  
 Mrs. Moore } Sworn

L. M. Spenser M. C. Surr  
 by Jas Woodburn Depty



April 18<sup>th</sup> 1839

ran a line for the benefit of Merida Parks & Edward Ellatts  
Hers in the N to quarter of Section 10 T 9 R 2 west Beginning  
at stake standing in the mouth of said Ellatts Spring Branch  
emptying its self into the west Margin of Jacks defeat then  
S 75° to 136 poles intersecting the North & South line dividing  
Sections 9 & 10 and cornering 52 1/2 poles north of the western  
1/2 mile post of Section No 10 witness Hickory 14 in diam  
S 50° E 19 lbs dist Hickory 24 in diam N 10° to 15 links  
distant

George Edmonson James S Sharp

Chain Bearers sworn April 18<sup>th</sup> 1839

James W Spencer M 68

April 25<sup>th</sup> A D 1839

ran for Henry Lints the following lot of land in sections  
no 14 & 23 Township No 8 North of Range 2 West and  
Bounded as follows to wit Beginning at the original  
corner of Sections 13, 14, 23, & 24 running thence S 6° E 84  
poles 7 links to a stake witness Sugar 14 in S 10° E 5 links  
distant then S 85° to 59 poles 5 links to a stake witness  
Sugar 12 in diam N 89° to 17 1/2 lbs dist then N 6° to 82 poles  
to a stake witness Tree Sugar 14 in diam N 67 1/2° E 7 1/4 links  
distant Gum 12 in diam S 69° to 28 lbs dist then S 80 1/2° to 22  
poles 3 links to a stake witness Tree Sugar 26 in diam N 8° to  
21 links distant White Walnut 3 inches diam N 74 1/2° E 4 1/2 lbs  
distant then N 6° to 29 poles to a stake in open ground then  
N 85° E 56 poles to a stake witness Sugar 12 in diam N 82 1/2° E  
14 links dist then S 6° E 28 poles to a stake witness Beech 9  
in diam S 21° to 2 1/4 links distant then N 84 1/2° E 25 lbs distant  
poles 11 links to the Beginning containing 40 acres & 3 quarters

Chain carried by Consent of  
Parties


James W Spencer M 68



Oct 2<sup>d</sup> A D 1849

Layed off 2 acres for a mill lot for Nicholas Fierro  
 & Daniel Thomas at Bear Blossom Bridge on the Morgantown  
 road in Section 35 T<sup>4</sup> R 1. East Fixed for a starting point  
 the N E cor having for witness trees a Sycamore 8 inches  
 diameter S 27° E 2 chain & 38 links dist Elm 16 inch diam  
 S 22° W 1 chain & 46 links distant ran from said corner  
 S 41° W 20 poles then N 41° W 16 poles then N 41° E 20 poles  
 then to the starting point  
 variation 6° degrees

James Woodburn M. C. S.

Feb 16<sup>th</sup> 1850

Surveyed for James Small the following tract of land in  
 Section 15 T<sup>4</sup> R 2 west in the N<sup>th</sup> q<sup>r</sup> of said Section  
 Beginning at (A) the S E cor of said q<sup>r</sup> running North  
 106 poles to (B) From (D) the S<sup>th</sup> cor of said quarter  
 N 106 poles to (C) then from C to B across said q<sup>r</sup>  
 Established corners at C & B

X witness trees at C Sugar 15 inch diam  
 N 36° W 10 1/2 links distant Birch 18 inch diam N 42° E  
 43 links dist

at B Black Oak 3 inch diam S 25° W  
 23 links distant Hickory 18 inch diam N 38° W 60 1/2 links dist

James Small & Hugh Sample  
 chain Bearers

James Woodburn, M. C. S.

March 2<sup>d</sup> 1850

Surveyed as Dower to Mary W. Hughes & her husband  
 James Hughes thirteen & 5/6 acres in the N<sup>th</sup> corner of  
 of the S<sup>th</sup> q<sup>r</sup> of N<sup>th</sup> q<sup>r</sup> of Section 9 T<sup>4</sup> R 1. west  
 Established the N<sup>th</sup> & N E cor with as trees of the N<sup>th</sup>  
 cor Birch 12 inch diam N 18° W 5 links dist " 16 inch diam  
 S 25° E 32 links dist N E cor Birch 12 inch diam S 47 1/2° E  
 9 links dist Poplar 8 inch diam N 87° W 20 links dist  
 Said Dower was layed off in a Square each side being 47.04  
 Poles Variation 5°

John James D. Robertson &  
 Joseph Bangh chain Bearers Sworn

James Woodburn M. C. S.



Also the S W cor of the N W gr of said section

Walrus trees	White oak 20 S 39 E 89 lbs
Length of section line west of "	White oak 30 S 39 E 84 "
" " " " East "	323 poles 4 lbs
" " " " " "	320 " 19 "
	Difference 2 Poles 10 lbs

Charles Swearingen } Chain bearers  
Isaac Wiseman } Sworn

James Woodburn  
Supt Sur. M C

Dec 26<sup>th</sup> 1853 - Surveyed for John Jones in Section 22 T 8 R 2 W and established the following corners viz the S E corner of S W gr.

Wit trees White oak 30 S 82 W 33 lbs

" " " " 30 N 39 E 44 "

N E corner of S W gr Elm 12 N 30 E 30 "

Pfizer 30 S 8 E 39 "

N W corner of S W gr wit trees B Walnut 6 N 10 E 35 1/2 "

" " 2 N 18 E 14 1/2 "

Andry Smith & Howard Campbell ch br

Dec 28<sup>th</sup> 1853 - Surveyed for Geo Ellen & Wm Samples & others in Sec 16 T 8 R 2 W and established the following corners viz S W cor of S E gr wit trees Hickory 8 N 40 E 44 lbs

" " Hickory 8 N 89 E 50 lbs

The S W cor of S E gr Walnut 12 N 65 W 65 lbs Sum 24 N 88 E 91 "

" S W " E 1/2 of N W gr Maple 18 N 53 W 14 lbs Buck 14 S 82 W 18 1/2 "

Layed off 60 acres in the N E cor of S E gr as follows - beginning at the N E corner of said gr running thence South 100 poles to a stone wit trees Buck 4 N 10 W 18 lbs Hick 14 N 75 W 20 lbs Thence West 96 poles to a stone, Thence North 100 poles to a stone wit trees Hick 6 N 75 W 22 lbs Hick 8 N 85 W 28 lbs. Thence East 96 poles to the beginning - John Jones & ch brs

Wm Samples

Dec 29<sup>th</sup> & 30<sup>th</sup> Surveyed for Samuel Holmes John Hombaker & c in Sec 9 T 7 R 1 W and established the following corners

N W cor of E 1/2 of N E gr mulberry 100 N 65 W 80 lbs Buck 8 S 30 E 93 "

S W " " " " " " Buck 14 S 68 W 101 lbs Buck 20 S 44 E 93 "

S W " " " " " " Sugar 12 S 21 W 2 lbs Sugar 6 N 24 W 27 "

N W " " " " " " Sugar 10 S 12 W 30 Ash 12 S 30 E 53 "

S W cor of N E gr of S W gr W Walnut 8 N 37 1/2 W 28 lbs Sugar 10 S 85 E 36 "

S E " " " " " " Sugar 30 S 92 W 104 lbs Elm 12 N 75 W 109 "

S W cor of E 1/2 of S W gr Sugar 10 N 47 1/2 W 21 lbs Sugar 15 S 70 W 6 "

Samuel Holmes } chain  
D Wagerman } bearers

James Woodburn



48½° E 36 lbs distant Beech 6 inches in diameter N 34° E 32 lbs  
New witnesses made at the ½ mile post of Section 2 T  
10 R 1 E W Oak 24 inches in diameter S 37° E 26 lbs dist  
Chain bearers John Moore and Jacob Adkins sworn  
This march 16<sup>th</sup> A D 1834

Trust 800  
Rec. 700  
Dm 100

James W Spencer  
Monroe County Surveyor

March 17<sup>th</sup> 18<sup>th</sup> A D 1834

Surveyed Section 14 T 8 R 2 W  
+ established the following corners Viz The NW corner of the  
Section wit trees W Beech 3 N 46½° E 8 lbs Sugar 8 N 81° W 7 lbs  
N.E. corner of NW gr of NW gr Sugar 8 S 12 E 21 W Walnut 16 W 18  
The S.W. cor of NW gr of NW gr Hickory 12 S 29 W 48 Buck 16 N 16 W 10  
The S.E. cor of NW gr of NW gr Sugar 20 S 12 E 14 Buck 14 S 20 W 18  
The S.W. cor of SE gr of SE gr gum 12 N 45 W 17 W Oak 12 N 47 E 18  
The S.E. cor of SE gr of SE gr Elm 20 N 18 W 21 W Oak 8 S 37 E 33  
The S.E. cor of SE gr of SE gr W Oak 12 N 50 W 25 W Oak 16 N 58 E 16  
The S.W. cor of SE gr of SE gr Hickory 10 N 25 W 15 Maple 10 S 81 W 29  
Center of Section Hickory 10 S 46 W 11 gum 20 S 9 W 80  
The S.W. cor of NW gr of SE gr W Oak 20 S 11 W 23 Hickory 12 West 21  
The S.E. cor of NW gr of SE gr Hickory 10 N 25 E 25 Hickory 12 S 63 W 14  
The S.E. cor of SE gr of SE gr W Oak 20 N 80 E 16 Dogwood 8 S 26 W 18  
The S.W. cor of SE gr of SE gr W Oak 20 corner tree  
The S.E. cor of SE gr of SE gr Buck 18 S 42 E 13 Dogwood 3 S 79 E 20  
The S.W. corner of Section W Walnut 4 N 73 E 35  
The S.E. cor of SE gr of SE gr Hickory 12 N 60 W 28 Dogwood 8 N 82 E 40  
George Eller }  
Riley Adkins } ch br

James Woodburn  
Deft Surveyor

April 11<sup>th</sup> 1834


Established a corner in the center of Section 21 T 10  
R 2 W for Eli Abernathy + there wit trees Buck 8 S 19 W 8 lbs dist  
Dogwood 4 S 34 E 6  
James Woodburn  
Deft

April 1834

Surveyed in Section 20 T 10 R 2 W for Bowman  
Stine + others and established the following corners  
Viz The N.E. cor of E ½ of NW gr wit trees Buck 20 N 59 W 8 lbs  
Buck 6 S 45 E 25 ½ "  
The S.W. cor of E ½ of NW gr " Buck 10 S 78 E 37 "  
Buck 8 S 64 E 71 "  
The NW cor " " " " B Walnut 10 S 82 E 113 "  
Cherry 2 S 40 E 14







1862  
Surveyed Section 18, T 8 N of R 2  
W and established the following  
corners as marked by letters

A Buck 20 N 80° E 15 li

To 10 N 85° W 9 1/2

B W Oak 3 S 58° W 26

Buck 16 S 39° E 60

C B Walnut 10 East 26

W Oak 10 N 25° W 26

D Buck 12 corner tree

E W Walnut 4 South 22

To 2 S 25° W 3

F Buck 10 N 6° W 64

Sugar 12 N 52° E 63

O Cherry 18 N 41° W 35

(planted a rock at each corner

James Woodburn Deft Surveyor M C

H Sugar 12 N 12° E 27 }  
Walnut 60 N 33° E 62 }

State of Indiana }  
County of Monroe } Set

Monroe born on Pleas Court we the undersigned  
Commissioners appointed by the said Court to make Partition of certain  
lands between Elizabeth Morison and the other heirs of John Morison  
De<sup>2d</sup> report to the Court that after receiving the Warrant of Partition  
issued to us we were duly sworn as will appear by our Oath which is  
endorsed on the back of said warrant and that thereafter we proceeded to  
and did make Partition of said lands in accordance and with the direc-  
tions contained in said warrant of Partition by setting off to by miles  
and bounds to Elizabeth Morison the following part or portion of said lands  
to wit a part of the South west fourth of the South East quarter of  
Section 27 Town 10 North of Rang 1 East beginning at a stone the North  
East corner of said quarter quarter thence S 85° W 39 poles and 15 link  
to a stone corner witness trees Buck 25 inches in diameter N 29° E 13  
links distant and Dogwood 2 inches in diameter S 6° E 10 1/2 links distant  
thence S 5° E 84 poles and 18 link to a stone corner witness trees Sugar tree  
13 inches in diameter S 85° W 167 links and a Sycamore 4 inches in diameter  
N 73° E 113 links distant thence N 65° E 39 poles and 15 links to a stone corner  
witness trees Sycamore 8 inches in diameter N 61° W 23 links distant and Hickory  
6 inches in diameter S 61° W 26 links distant and thence N 5° W to the place of



November the 10<sup>th</sup> 1859

This is to certify that I have this day appointed James Woodburn  
Deputy Surveyor of Monroe County Indiana and all surveys  
made by him will legal  
J. S. Buskirk M. C. Surveyor

State of Indiana Monroe County


I James Woodburn do solemnly swear that I will support  
the Constitution of United States and of the State of Indiana  
and that I will discharge the duty of Deputy Surveyor of  
Monroe County according to Law so help me God

James Woodburn

Sworn to before me this 10<sup>th</sup> day of November 1859

J. S. Buskirk M. C. Surveyor

X



November the 22<sup>nd</sup> 1859  
made the following Survey in  
Sec. 22. T. 10. R. 2. W. for  
John Hasket & Others  
commenced at Eastern 1/2 mile stake  
Old witness gone witness made  
A (Beach 15 inches in diameter N 37° 6' 13" W 13 links  
B Oak 6 inches in diameter S 7° 11' 11" W 13 links  
B (Beach 12 inches in diameter S 19° 8' 18" W 13 links  
C Elm 12 inches in diameter S 77° 6' 76" W 13 links  
C (Beach 12 inches in diameter N 32° 6' 60" W 13 links  
D (Beach 15 inches in diameter N 3° 11' 38" W 13 links  
D (Beach 18 inches in diameter S 57° 6' 59" W 13 links  
E (Beach 18 inches in diameter N 31° 6' 38" W 13 links  
E (Beach 12 inches in diameter N 32° 11' 90" W 13 links

W. S. Walker }  
Gilbert Linton }  
Joel Stone }  
Sworn

J. S. Buskirk M. C. Surveyor

X

November the 29<sup>th</sup> 1859 Ran the following lines in Section 18. T. 8  
Range 2. W. for William Fowler and others commenced at the  
S. E. corner of said Section. Witness W. Oak 25 inches in diameter  
S 56° E 34 links dist. W. Oak 10 inches in diameter N 22° W 75 links  
dist. thence N. W. to the 1/2 mile stake thence N. E. 12 poles corner  
Witness Hickory 15 inches in diameter N 50° W 9 links dist. Hickory 5  
inches in diameter S 37° E 6 links dist. thence commenced at the N. E.  
corner of said Section ran S. E. 110 poles to the Eastern 1/2 mile  
stake. Old witness gone witness made Beach 8 inches S 4° W 90 links  
Beach 8 inches S 4° W 10 links. Chas. Bowen William Thayer & others  
Sworn

J. S. Buskirk M. C. Surveyor



March 15<sup>th</sup> A.D. 1864.

ran for Thomas Breedin the following lines in section  
no 19. "S. 8 R. 2. west." length of the line from the south  
1/2 mile post to the north 1/2 mile post of said section  
is 315 poles & 6 links. new corner made at the north  
1/2 mile post by planting a stone witness Lewis Beech  
20 inches diameter N 65° W, 53 links distant Sugar 15  
in diameter N 39° E 61 1/2 links distant

then ran the north west quarter of said section  
Beginning at the northern 1/2 miles post then west  
with the section line 126 poles 9 links to the Township  
or county line then with said line South 153 poles  
6 1/2 links then East 126 poles 13 links to the center of  
the section then north 153 poles 6 1/2 links to the Beginning

William Breedin & John Breedin chain  
Bearers. by consent of Parties.

James H. Spencer,  
Marroce County Surrogate

March 28<sup>th</sup> A.D. 1864.

Surveyed for Jacob B. Young the following lot of land  
it being a part of the south 1/2 of the South west quarter of  
section no 35 Town 9 North of range no one west  
Beginning at the North East corner of said lot running  
thence S 8° E 29 poles & 23 links to a stone then S 85° W  
48 poles 17 1/4 links to a stone then N 45° W 34 poles 3 links  
then N 85° E 48 poles & 5 links to the beginning containing  
9 acres 2 quarters & 30 poles

Jacob B. Young & Leroy Rogers chain Bearers  
by consent of parties

James H. Spencer  
Marroce County Surrogate



Feb 21<sup>st</sup> 1839

Layed off in Section 20 T 7 R 2 west (12) Twelve town lots for Jesse East Beginning at a Birch Tree then N 34° E 2 poles and from the same tree South at right angles to the first line 4 poles to a stake then N 34° E 2 poles to a stake then at right angles to the first & parallel to the 2<sup>nd</sup> 4 poles and each succeeding lot lays parallel to the first the alleys are all 12 feet and the last 4 lots are all in a block

Harry Bangh Sept 16<sup>th</sup> 3

Feb 22<sup>nd</sup> 1839

Surveyed for James Davis the following lines in Section 20 S 3 R 2 west Began at the South 1/2 mile post of said Section then N 6° E 316 poles to the Northern 1/2 mile post then Began at the Eastern 1/2 mile post then S 85° E 314 poles 10 links witness trees at the center of Section No 20 Birch 24 in diam N 58° E 25 lbs dist to Oak 16 inches diam S 63° E 19 lbs dist witness trees 78 poles 15 links North of the center Hickory 20 in diam N 84° E 28 lbs dist Sugar 18 inch diam S 17° E 33 links dist witness trees 78 poles 15 lbs North of the Eastern 1/2 mile post Dogwood 6 inches diam S 14° E 12 lbs dist Sassafras 2 in diam N 42° E 27 lbs dist

Jefferson Scott & William Poarch  
Chain Bearers Sworn

Harry Bangh Sept 16<sup>th</sup> 3

June 10<sup>th</sup> A.D. 1839

June 10, 1839 Surveyed for Andrew Parker John B. Coost Thomas Stephen Lankston Bennett & Co Carter Section No 33 T 7 R 1 East Began at the Eastern 1/2 mile post then S 85° E 320 poles to the West 1/2 mile post then Began at the Southern 1/2 mile post then N 6° E 317 poles 3 links to the Northern 1/2 mile post witness trees at the center of said Section Black Ash 6 in diam S 71° E 23 links dist Birch 30 inch diam S 80° E 15 links dist witness trees poles west of the center Birch 24 inch diam S 25° E 10 links dist Sugar 18 inches diam S 72° E 62 links dist witness trees poles west of the North 1/2 mile to Oak 4 inch diam S 13° E 27 at oak 12 inch diam N 10° E 22 links dist witness trees 78 poles 23 links South of the center Birch 10 inch diam N 85° E 54 links dist Oak 12 inch diam S 82° E 37 1/2 links dist witness at the center the 4 to give red Pine 10 inch diam S 29° E 24 links distant

James Ellis & Abraham Aley  
Chain Bearers Sworn

James H. Spencer May 6<sup>th</sup> 3



March 12<sup>th</sup> 1844

Surveyed for William Proseberry and others in Section 29  
S 5 R 2 West Began at the Southern 1/2 mile post of said section  
then N 67° W 318 poles 15 links to the Northern 1/2 mile post then  
Began at the Western 1/2 mile post then N 85° E 316 poles 12 links to  
the Eastern 1/2 mile post witness trees at the center Beech 18 inch  
diam N 85° E 39 1/2 lbs dist Sugar 10 inch diam S 87° W 34 1/2 lbs dist

+ Length of the line A of the center 158 poles 28 links  
Length of the line C of the center 158 poles 17 1/2 links  
West of the " " " Center 157 poles 17 1/2 links  
North of the " " " Center

Witness trees 39 poles 17 1/2 links North of the center to Oak 24 inches  
diam S 46° E 44 1/2 lbs dist Black ash 6 inches diam S 20° W 14  
lbs dist the same course continued 39 poles 17 1/2 links witness  
B. Gum 18 inch diam S 28° W 28 lbs dist Black ash 20 inch diam  
N 35 1/2° E 41 lbs dist witness trees West of the Northern 1/2 mile post  
79 poles 11 links Mulberry 7 inch diam N 6° W 13 1/2 links distant  
 Hickory 10 inch diam S 75° W 23 1/2 lbs dist witness trees 78 poles 25 1/2  
links West of the center Red Oak 18 inch diam N 7° E 16 links  
dist to Oak 20 inch diam S 52° W 31 links dist witness 79 poles 7 1/2  
links East of the center to Walnut 15 inch diam N 82° E 46 lbs  
dist B. Gum 5 inch diam N 88° W 40 lbs dist witness trees 79 poles  
2 links West of the center S E corner of Sec 29 B. Gum 8 inches  
diam N 89° E 10 1/4 lbs dist B. Gum 20 inch diam N 5° E 21 1/2 links  
dist

William Berry Green & Berry  
Chain Bearers Sworn

J. W. Spencer M. C. S.

March 16<sup>th</sup> 1840

ran the following lines in Section 21 S 9 R 1 East for William  
Richeson & William Brunnet Beginning at the N W cor then  
N 85° E 160 poles 6 links to the N 1/2 mile post witness trees 80 poles  
3 links East of the N W cor & West of the N 1/2 mile post  
Beech 15 inch diam S 37° W 117 lbs dist Beech 24 inch diam N  
75° W 79 lbs dist then from said point S 6° E 80 poles to a stake  
witness trees Beech 24 in diam S 54° E 40 1/2 lbs dist Beech 18 in  
diam S 19° W 74 1/2 lbs dist

William Coott & Jacob Brunnet  
Chain Bearers Sworn

J. W. Spencer M. C. S.



Also the S W cor of the N W gr of said section

Walrus trees	White oak 20 S 89 E 89 lbs
Length of section line west of "	White oak 30 S 89 E 84 "
" " " " East "	323 poles 4 lbs
" " " " " "	320 " 19 "
	Difference 2 Poles 10 lbs

Charles Swearingen } Chain bearers  
Isaac Wiseman } Sworn

James Woodburn  
Supt Sur. M C

Dec 26<sup>th</sup> 1853 - Surveyed for John Jones in Section 22 T 8 R 2 W and established the following corners viz the S E corner of S W gr.

Wit trees White oak 30 S 82 W 33 lbs

" " " " 30 N 39 E 44 "

N E corner of S W gr Elm 12 N 30 E 30 "

Pfizer 30 S 8 E 39 "

N W corner of S W gr wit trees B Walnut 6 N 10 E 35 1/2 "

" " 2 N 18 E 14 1/2 "

Andry Smith & Howard Campbell ch br

Dec 28<sup>th</sup> 1853 - Surveyed for Geo Ellen & Wm Samples & others in Sec 16 T 8 R 2 W and established the following corners viz S W cor of S E gr wit trees Hickory 8 N 40 E 44 lbs

" " Hickory 8 N 89 E 50 lbs

The S W cor of S E gr Walnut 12 N 65 W 65 lbs Sum 24 N 88 E 91 "

" S W " E 1/2 of N W gr Maple 18 N 53 W 14 lbs Buck 14 S 82 W 18 1/2 "

Layed off 60 acres in the N E cor of S E gr as follows - beginning at the N E corner of said gr running thence South 100 poles to a stone wit trees Buck 4 N 10 W 18 lbs Hick 14 N 75 W 20 lbs Thence West 96 poles to a stone, Thence North 100 poles to a stone wit trees Hick 6 N 75 W 22 lbs Hick 8 N 85 W 28 lbs. Thence East 96 poles to the beginning - John Jones & ch brs

Wm Samples

Dec 29<sup>th</sup> & 30<sup>th</sup> Surveyed for Samuel Holmes John Hombaker & c in Sec 9 T 7 R 1 W and established the following corners

N W cor of E 1/2 of N E gr mulberry 100 N 65 W 80 lbs Buck 8 S 30 E 93 "

S W " " " " " " Buck 14 S 68 W 101 lbs Buck 20 S 44 E 93 "

S W " " " " " " Sugar 12 S 21 W 2 lbs Sugar 6 N 24 W 27 "

N W " " " " " " Sugar 10 S 12 W 30 Ash 12 S 30 E 53 "

S W cor of N E gr of S W gr W Walnut 8 N 37 1/2 W 28 lbs Sugar 10 S 85 E 36 "

S E " " " " " " Sugar 30 S 92 W 104 lbs Elm 12 N 75 W 109 "

S W cor of E 1/2 of S W gr Sugar 10 N 47 1/2 W 21 lbs Sugar 15 S 70 W 6 "

Samuel Holmes } chain  
D Wagerman } bearers

James Woodburn



Dec 11. 1858. Established for Thos Jarvis the N.E. cor of Sec. Lot No. in the S.W. qr of Sec 3. T. 8. R. 1 W.

Wet tree Birch 8. N 84 E 54 6.

+ Established at the same time the South  $\frac{1}{2}$  mile stake of said Sec 3. Wet trees Birch 20 S 62 E 59 6.  
Birch 20 N 80 W 39 6.

B. F. Rogers ch. l.  
C. D. Hay S. down

J. W. Spenser M. C. Secy  
by J. Woodburn Depty.

July 30. 1858. Surveyed in Sec 15. T. 9. R. 1 E. and established the following corners for David & M. Coy. viz.

The S.W. cor of S.E. qr of N.E. qr.

Birch 10 S 40 W 15 6.

+ " N.W. " " " "

Gum 12 N 10 E 53.

Birch 8 S 37 W 8.

Birch 10 S 35 E 6 1/2.

" N.E. " " " "

Gum 24 S 65 E 19.

Hick 14 N 38 E 10.

John Carter ch. l.  
John Stevens Sw.

J. W. Spenser M. C. Secy  
by J. Woodburn Depty.

Aug. 1. 1858. Surveyed in Sec 22. T. 8. R. 2 W. and established the following corner for John Sinsmore & M. Stone.

The S.W. cor of East  $\frac{1}{2}$  of N.E. qr.

Hick 4. N 20 W 6 6.

Asch 10 S 24 E 19.

Sept 7. 1858. Established for J. Johnson and M. Butler the following corners in Sec 8. T. 9. R. 1 W. viz.

Cor in center of Sec. Wet trees

Sug 20. N 12 E 15 6.

+

Elm 36. N 70 E 22.

cor at West  $\frac{1}{2}$  mile stake

Birch 10 N 34 W 30.

W. Oak 20 S 48 W 38 1/2.

at Parkers ch. l.  
F. Myler Sw.

J. W. Spenser M. C. Secy  
by J. Woodburn Depty.



April 18<sup>th</sup> 1839

ran a line for the benefit of Merida Parks & Edward Ellatts  
Hers in the N<sup>W</sup> quarter of Section 10 T 9 R 2 west Beginning  
at Stake standing in the mouth of said Ellatts Spring Branch  
emptying its self into the next Margin of Jacks defeat then  
S 75° to 136 poles intersecting the North & South line dividing  
Sections 9 & 10 and cornering 52 1/2 poles north of the western  
1/2 mile post of Section No 10 witness Hickory 14 in diam  
S 50° E 19 lks dist Hickory 24 in diam N 10° to 15 links  
distant

George Edmonson James S Sharp

Chain Bearers sworn April 18<sup>th</sup> 1839

James W Spencer M 68

April 25<sup>th</sup> A 20 1839

ran for Henry Lints the following lot of land in sections  
no 14 & 23 Township No 8 North of Range 2 West and  
Bounded as follows to wit Beginning at the original  
corner of Sections 13, 14, 23, & 24 running thence S 6° E 8 1/4  
poles 7 links to a stake witness Sugar 14 in S 10° E 5 links  
distant then S 85° to 59 poles 5 links to a stake witness  
Sugar 12 in diam N 89° to 17 1/2 lks dist then N 6° to 82 poles  
to a stake witness Tree Sugar 14 in diam N 67 1/2° E 7 1/4 links  
distant Gum 12 in diam S 69° to 28 lks dist then S 80 1/2° to 22  
poles 3 links to a stake witness Tree Sugar 26 in diam N 8° to  
21 links distant White Walnut 3 inches diam N 74 1/2° E 4 1/2 lks  
distant then N 6° to 29 poles to a stake in open ground then  
N 85° E 56 poles to a stake witness Sugar 12 in diam N 82 1/2° E  
14 links dist then S 6° E 28 poles to a stake witness Beech 9  
in diam S 21° to 2 1/4 links distant then N 84 1/2° E 25 lks distant  
poles 11 links to the Beginning containing 40 acres & 3 quarters

Chain carried by Consent of  
Parties

James W Spencer M 68











September the 20<sup>th</sup> 1862

Made the following survey in Section 26, T. 8. R. 2. W. for  
P. M. Moberly and Pomanick Bowers commenced at the Eastern  
1/2 mile post Ran S 85° W 79 poles + 21 1/2 links corner made & stone  
planted Witness Tree Beech 22 inches in diam N 39° W 65 links det  
thence S 85° W 79 poles 21 1/2 links corner made and stone planted  
Witness Tree Beech 12 inches in diam N 10° E 112 links distant  
thence N 31° W 160 poles to the Northern 1/2 mile post

Thomas Rush sen } sworn  
Cham Bares } Thomas Rush Jun }

fees \$3.75 paid

J. S. Buskirk

M. C. Surveyor

October the 15<sup>th</sup> 1862

Ran the following lines & made the following corners in Section 11, Town 9  
Range 2 West for James Bratny began at the Eastern 1/2 mile post ran  
S 86° W 160 poles + 1 link to the center of the Section Witness Sugar 12 inches  
in diameter N 31° E 28 links distant thence N 36° E 53 poles 8 1/2 links corner made  
Witness Elm 6 inches in diameter S 73° W 3 links distant thence N 5° W 160 poles  
+ 18 links corner made Witness Beech 18 inches in diameter S 12° E 31 link  
distant Beech 20 inches in diameter S 88° W 22 links distant Cham Bares  
John M. Farmer & James Bratny by consent fee \$1.00 paid \$2.00 paid in full

J. S. Buskirk, M. C. S.

November the 20<sup>th</sup> 1862

Ran the following lines & made the following corners in Section  
36 Township 10 Range one West for Jasper H. Cox & Jackson Lintz  
commenced on the Section line 78 poles + 19 links West of the North East  
corner of said Section 36. Witness trees Beech 10 inches in diameter  
N 19° W 38 links det B. Ash 6 inches in diameter N 55° E 50 links det  
thence S 5° E 82 poles + 10 links Witness trees B. Ash 2 inches in diameter  
N 89° W 30 links det Beech 6 in diameter S 6° W 204 links det thence  
S 5° E 104 poles + 20 links Witness Beech 15 inches in diameter N 77° W  
22 links det Beech 18 inches in diameter N 22° E 52 links det thence  
S 5° E 82 poles + 10 link to a corner made before

Cham Bares John Martin & W. S. Anderson sworn  
fees \$3.50 paid

J. S. Buskirk, M. C. S.



March 12<sup>th</sup> 1844

Surveyed for William Proseberry and others in Section 29  
S 5 R 2 West Began at the Southern 1/2 mile post of said section  
then N 67° W 318 poles 15 links to the Northern 1/2 mile post then  
Began at the Western 1/2 mile post then N 85° E 316 poles 12 links to  
the Eastern 1/2 mile post witness trees at the center Beech 18 inch  
diam N 85° E 39 1/2 lbs dist Sugar 10 inch diam S 87° W 34 1/2 lbs dist

+ Length of the line A of the center 158 poles 28 links  
Length of the line C of the center 158 poles 17 1/2 links  
West of the " " " Center 157 poles 17 1/2 links  
North of the " " " Center

Witness trees 39 poles 17 1/2 links North of the center to Oak 24 inches  
diam S 46° E 44 1/2 lbs dist Black ash 6 inches diam S 20° W 14  
lbs dist the same course continued 39 poles 17 1/2 links witness  
B. Gum 18 inch diam S 28° W 28 lbs dist Black ash 20 inch diam  
N 35 1/2° E 41 lbs dist witness trees West of the Northern 1/2 mile post  
79 poles 11 links Mulberry 7 inch diam N 6° W 13 1/2 links distant  
 Hickory 10 inch diam S 75° W 23 1/2 lbs dist witness trees 78 poles 25 1/2  
links West of the center Red Oak 18 inch diam N 7° E 16 links  
dist to Oak 20 inch diam S 52° W 31 links dist witness 79 poles 7 1/2  
links East of the center to Walnut 15 inch diam N 82° E 46 lbs  
dist B. Gum 5 inch diam N 88° W 40 lbs dist witness trees 79 poles  
2 links West of the center S E corner of Sec 29 B. Gum 8 inches  
diam N 89° E 10 1/4 lbs dist B. Gum 20 inch diam N 5° E 21 1/2 links  
dist

William Berry Green D Berry  
Chain Bearers Sworn

J. W. Spencer M. C. S.

March 16<sup>th</sup> 1840

ran the following lines in Section 21 S 9 R 1 East for William  
Richeson & William Brunnet Beginning at the N W cor then  
N 85° E 160 poles 6 links to the N 1/2 mile post witness trees 80 poles  
3 links East of the N W cor & West of the N 1/2 mile post  
Beech 15 inch diam S 37° W 117 lbs dist Beech 24 inch diam N  
75° W 79 lbs dist then from said point S 6° E 80 poles to a stake  
witness trees Beech 24 in diam S 54° E 40 1/2 lbs dist Beech 18 in  
diam S 19° W 74 1/2 lbs dist

William Coott & Jacob Brunnet  
Chain Bearers Sworn

J. W. Spencer M. C. S.



Apr 4. 1858. Surveyed for John Keith and Wm Lucas in Sec. 2 T. 8 N. R. 1 W. and established the N.W. cor of the East  $\frac{1}{2}$  of N.E. qr.

Met trees Elm 20. N 77 W. 61.6  
Hornbeam 8. S 12 W. 63.

Joseph Pennington ch the  
Lad & Hall Sur

Apr 8. Established in Sec 6. T. 8. N. 1. R. for Mr Sherwood.

- |   |           |              |            |
|---|-----------|--------------|------------|
| 1. N.E. cor of Section                  | Met trees | Red Oak 12.  | Post 16.6  |
|   |           | Hick 6.      | N 40 E 20. |
| 2. S.E. of N.E. of N.E. qr.             | "         | Red Oak 10   | S 42 E 10. |
|   |           | Red Oak 12   | N 55 W 45. |
| + 3. S.E. of N.E. qr                    | "         | B. Walnut 8. | S 85 W 22  |
|   |           | Red Elm 6.   | N 38 E 43. |
| 4. S.E. of W. $\frac{1}{2}$ of N.W. qr. | "         | Beech 10     | N 70 W 21. |
|   |           | Sug 10       | S 72 E 18. |
| 5. S.W. of N.W. qr.                     | "         | Beech 20.    | S 61 W 39  |
|   |           | Lynm 10      | E. 19.     |

James Ellis ch the  
John Johnson Sur

James W Spenser M.C. Sur  
by James Woodburn Deft.

June 18 1858. Surveyed in Sec 31. T. 8 N. R. 2 W. and established the following corners, for Whaley Carpenter, Bender &c.

- |   |                                   |
|---|-----------------------------------|
| 1. a corner 85 poles W. of East $\frac{1}{2}$ m. stake. | Met Beech 10. S 50 W. 44.6        |
|   | Sug 14. S 7 E 67 $\frac{1}{2}$ .  |
| + 2. Cor in center of Sec.                              | Beech 18. S 21 W 67.              |
|   | B. Gum 16. S 49 E 14.             |
| 3. The West $\frac{1}{2}$ m. stake.                     | B. Walnut 8. N 33 W. 58           |
|   | Beech 40. N 35 E 44 $\frac{1}{2}$ |

Jacob Carpenter ch the  
G H Gilman Sur

J. W. Spenser M.C. Sur  
by James Woodburn Deft.

Sec 14. T. 8. N. 1. E.



Elyah Robinson ch the  
Lewis Young Sur

June 26. 1858. Surveyed in Sec. 17. T. 8 N. 1 E. and established the following corners for Dr Rose

- |                            |                                     |
|----------------------------|-------------------------------------|
| Cor A on Ind. Bound. line, | Pop. 36. S 30 W. 44.6               |
|                            | Hick 20. N 65 W. 54 $\frac{1}{2}$ . |
| " B " " "                  | B. Oak. N 69 W 35.                  |
|                            | W. Oak. S 6 W 50 $\frac{1}{2}$ .    |
| " C. center Sec.           | Beech 20. S 17 W. 18.               |
|                            | Beech 18. N 38 E 45 $\frac{1}{2}$ . |
| D                          | Beech 18. N 20 W. 29.               |
|                            | Sug 18. S 7 W. 28.                  |

J. W. Spenser M.C. Sur  
by J. Woodburn Deft.



May 31<sup>st</sup> 1842

have the following lot of land for William C. Farkington  
lying and being situated in section No 32 Township No 8  
R 2 west & the N  $\frac{1}{4}$  of N  $\frac{1}{2}$  sec of said section  
Began at the N  $\frac{1}{2}$  cor of said section then N  $85^{\circ}$  E  $79$   
Poles 4 links witness Beech 8 inch diam N  $87^{\circ}$  E  $3\frac{1}{2}$  lbs  
dist Sugar 12 inch diam N  $28^{\circ}$  E  $16\frac{1}{4}$  lbs dist then  
S  $6^{\circ}$  E  $80$  poles witness Sugar 10 inch diam N  $3^{\circ}$  E  $36$   
lbs dist Beech 14 inch diam S  $25^{\circ}$  E  $16$  lbs dist then  
S  $85^{\circ}$  W  $80$  poles witness Trees Dogwood 8 inch diam  
N  $56^{\circ}$  E  $16\frac{1}{4}$  lbs dist then N  $6^{\circ}$  W  $80$  poles to the Beginning  
Containing 80 acres

Samuel Graybill & W. C. Farkington  
Chain Bearers by Consent

J. W. Spencer M. C. S.

April 17<sup>th</sup> 1843

have the following lines for Benjamin Neal & James  
Roberson in section No 35 T 9 R 2 west length of  
the line E & W through the center 320 poles 6 links  
Length of the line from the N  $\frac{1}{2}$  cor to the S  $\frac{1}{2}$  cor  
321 poles  $2\frac{1}{2}$  links witness at the western  $\frac{1}{2}$  mile  
Cherry 18 inch diam S  $41^{\circ}$  E  $87$  lbs dist S to cherry 12  
inches diameter S  $82^{\circ}$  E  $57$  lbs dist witness 80 poles  
 $1\frac{1}{2}$  links East of the western  $\frac{1}{2}$  mile post Beech 20  
inch diam S  $76^{\circ}$  E  $39\frac{1}{2}$  lbs dist Hickory 3 in diam  
S  $83\frac{1}{2}$  W  $13$  lbs dist then S  $6^{\circ}$  E  $160$  poles  $3\frac{1}{2}$  links  
to a stake standing 80 poles  $5\frac{1}{2}$  lbs east of S  $\frac{1}{2}$  cor

Nicholas S. Mayfield  
Ambrose C. Mayfield  
Chain Bearers Sworn

J. W. Spencer M. C. S.

April 19<sup>th</sup> 1841

in the following lines in section No 18 T 9 R 1. E for Paris C.  
anning and Sampson Hensley Began at the Center of said sec  
witness Beech 15 inch diam S  $5^{\circ}$  E  $22$  lbs dist Sugar 20  
in diam S  $45^{\circ}$  W  $40$  lbs dist then S  $55^{\circ}$  W  $80$  poles witness  
Beech 8 inch diam S  $67^{\circ}$  E  $27\frac{1}{2}$  lbs dist


James Alexander &  
Sampson Hensley chain  
consented to  
Fee of 2.50

J. W. Spencer M. C. S.



See 32. T 8. R. 2 m.

Apr. 1. 1859.



Surveyed in Section 32.  
T. 8. R. 2 W for Misses Freese  
Cornet &c and established  
the following corners viz.  
Cor A,  $\frac{1}{2}$  m N. Mt. Freese

Aug 14. 585 E 416

10. E. 25.

B.  $\frac{1}{4}$  m N. Beech 10 575 E.  $6\frac{1}{2}$ .

Aug 16 N 17 W.  $13\frac{1}{2}$

" C. 44 East of B. High 16, N 85 W. 6

5. N 78 E. 34

D 19 P. South of C. W. oak 20. S 15 E. 19

Beach 10. N 18 m. 61

*E* Aug 12. 386E 38½

Heich 16. N 31 E. 30

F      Book 12. V36 W. 69

Aug 12. 565 m 69

H  $42.20\frac{6}{3}$  North of E Aug 20. 5618.24

Hick 6. 568 m. 38

" 0 cent. of Sec. Sec 12. \$60 M. 51½

16. N 43 E. 73  $\frac{1}{2}$

P Sum 20 N 30 W 24

24


S. W. Oak. 24. N. 15 m. 2.

Crab apple 6.532 m.

James Woodburn Dept. Secy

Wm Humbarger } ch the  
Nelson Cornet } sworn

Apr. 29<sup>th</sup> 1860.  
See 31. 210. 10 1 m



Surveyed in Dec 31. I 10. R. 1. W. &  
established the following corners for  
Wm Wood Levi Ridge Melvin Hyneman &  
a Stone

Cor A. Center of N. End of  $N. \frac{1}{2}$  of S. E. q<sup>r</sup> 121.5' W. of E.  $\frac{1}{2}$  m.

Wet trees Ash 12. 585 or 35.6

Wsk 10. 310 m. 39 ..

B Center of S. end of same 120.3 N. of S. E. cor.

Locust 6. N2E. 173½ 6.

4. N208 172

C cont. of Sec. Beck 10 S 8 W 12 1/2

6 N 41 W 21

D. B. Wal. 16 5800 83 $\frac{1}{2}$ . B. Wal. 14 N3W 99 $\frac{1}{2}$ .

E. Sept. 10. N38E 18 $\frac{1}{2}$  High 6 553 m. 41

F  $\alpha_{\frac{1}{2}}^1$  m. Bred 14.5829.33, Bred 30.88m. 21

11 The Bean Co. 114<sup>th</sup> & W. Elm 12 572 or 34.

At Stanger & Co  
Jm. Whisenand sworn

L. A. Bushnik M. C. D.

G. I. Woodburn Deft.



proceeded to and did on Thursday the 1<sup>st</sup> Day of April 1861  
 Make Partition of the Lands described in Said Warrant of  
 Partition as follows to wit to Elizabeth Oliphant Widow of the  
 Deceased the following portion of said Real Estate beginning at a  
 point (11) Eleven Rods East and 5<sup>th</sup> five degrees North of the South  
 West corner of the West West fourth of the South West  
 quarter of Section (32) thirty two Township (7) North of  
 Range (2) two West thens South 6<sup>th</sup> East (21) twenty one Rods  
 (2 1/2) two and a half links to a stake thens West 5<sup>th</sup> South (91)  
 ninety one Rods and (9 1/2) nine and a half links to a stake  
 thens North 6<sup>th</sup> West (21) twenty one Rods (2 1/2) two and a half  
 links to a stake thens East 5<sup>th</sup> North (91) ninety one Rods to the  
 place of beginning containing (12) twelve Acres (1/4) four Rods  
 and 5 5/8 links being the full and equal one third part in  
 Value of the entire quantity of Land described in the Warrant  
 of Partition and a part of the South West fourth of the South  
 West quarter of Section (32) and a part of the South East  
 fourth of the South East quarter of Section (31) all in  
 Township 7 N in Range 2 West and the residue of the  
 Lands described in the said Warrant of Partition We assigned  
 and set off in one Body to the Petitioners which we  
 consider to be the two thirds in Value of all the of said  
 Lands all of which is respectfully Submitted

John S. Carter  
 Burton Simpson } Commissioners  
 Pleasant Fosset

August the 1<sup>st</sup> 1861

Ran the following lines & made the following corners in Section  
 thirty five T. 8 R. 2 West for Dyer & Henry Thensley commenced  
 at the Eastern 1/2 Mile stake Ran S 86<sup>th</sup> W 157 poles & 13 links corner  
 made Witnesses Beach 18 inches in Diameter S 28<sup>th</sup> W 31 links distant  
 B Walnut 30 inches in diameter S 11 1/2<sup>th</sup> E 105 1/2 links distant  
 thens S 5<sup>th</sup> E 159 poles 2 1/2 link corner made Witnesses B Walnut  
 1 inches in diameter N 66<sup>th</sup> E 47 links distant

Chas Barers } Richard Giligan } sworn  
 Ely May }

fee \$ 1-00 paid

J. S. Buskirk M. C. S



March 15<sup>th</sup> 1840

ran a line for Seth Goodwin & Noble Stockwell in  
 section No 36 T 6 R 2 west Began at the center of said  
 section witness Beech 24 in diam S 23° to 20 1/2 links  
 distant the other line down then to the 1/2 mile post  
 X 159 poles 17 1/2 links dist

Seth Goodwin  
 Noble Stockwell chain  
 Bearers sworn

Jr Spencer M. C. S.

April 11<sup>th</sup> 1841

ran the North and South line for Galat Hatfield  
 & John Gillman in section No 26 T 7 R 2 west  
 length of line 325 poles 6 links

James Gillman &  
 Henry May chain  
 Bearers by consent of parties

Jr Spencer M. C. S.

March 24<sup>th</sup> 1841

ran for Joseph Henderson Inn lot No 39 in the Town of  
 Bloomington Began at the S E cor of said lot then S 85° to  
 40 poles then N 6° to 27 poles 9 links then N 85° E 26 poles  
 9 links then S 6° E 25 links then N 85° E 7 poles 16 links  
 then S 6° E 25 poles 9 links to the Beginning

Also a small lot taken out of said lot Began  
 at its S E corner then N 6° to 9 poles then S 85° to 12 poles  
 then S 6° E 9 poles then N 85° E 12 poles to the Beginning  
 content 2 Woods 28 poles

Jr Spencer M. C. S.

May 1<sup>st</sup> 1840


ran the East & west line through the center of  
 of section No 2 T 9 R 2 west for Frederic & Butler  
 Beginning at the west 1/2 mile post witness W Bush  
 3 inches diameter S 56° to 18 links dist Sugar 11 inches  
 diam N 58° E 25 links dist then N 85° E 324 poles to the 1/2  
 mile post witness Beech 16 in diam S 23° to 5 links dist Beech  
 10 inch diam N 15° E 21 links dist. witness made at the center  
 Sugar 18 inches diam S 55° to 72 links distant

Smith Constable & Joseph James  
 Chain bearers by consent

Jr Spencer M. C. S.







1862

Surveyed Section 18. T. 8. N. of R. 2  
W. and established the following  
corners as marked by letters

A Back 20 N 80° E 15 li

Do 10 N 85° W 9 1/2

B W Oak 3 S 58° W 26

Back 16 S 39° E 60

C B Walnut 10 East 26

W Oak 10 N 25° W 26

D Back 12 corner tree

E W Walnut 4 South 22

Do 4 S 25° W 3

F Back 10 N 6° W 62

Sugar 12 N 51° E 63

O Cherry 18 N 81° W 35

(planted a rock at each corner

James Woodburn Deft Surveyor M. C.

H Sugar 12 N 12° E 27 }  
Walnut 60 N 23° E 62 }

State of Indiana }  
County of Monroe } Set

Monroe born on Pleas Court we the undersigned  
Commissioners appointed by the said Court to make Partition of certain  
lands between Elizabeth Morison and the other heirs of John Morison  
De<sup>d</sup>, report to the Court that after receiving the Warrant of Partition  
issued to us we were duly sworn as will appear by our oath which is  
endorsed on the back of said warrant and that thereafter we proceeded to  
and did make Partition of said lands in accordance and with the direc-  
tions contained in said warrant of Partition by setting off to by miles  
and bounds to Elizabeth Morison the following part or portion of said lands  
to wit a part of the South west fourth of the South East quarter of  
Section 27 Town 10 North of Rang 1 East beginning at a stone the North  
East corner of said quarter quarter thence S 85° W 39 poles and 15 link  
to a stone corner witness trees Buck 25 inches in diameter N 29° E 13  
links distant and Dogwood 2 inches in diameter S 6° E 10 1/2 links distant  
thence S 5° E 81 poles and 18 link to a stone corner witness trees Sugar tree  
13 inches in diameter S 85° W 167 links and a Sycamore 4 inches in diameter  
N 73° E 113 links distant thence N 85° E 39 poles and 15 links to a stone corner  
witness trees Sycamore 8 inches in diameter N 61° W 23 links distant and Hickory  
6 inches in diameter S 51° W 26 links distant and thence N 5° W to the place of